

Pendant luminaires with hand-spun steel reflector and replaceable LED lamp

Handcrafted pendant luminaires inspired by original 1930's designs. The vitreous enamelled steel luminaires are available in a choice of Ivory or British Racing Green. The light source is a replaceable LED lamp available in a warm 2700 K or a very warm 2200 K.

Applications: Reception area, break-out spaces, retail, restaurants.

- Choice of Ivory or British Racing Green exterior with white interior
- Spun steel reflectors, hand-formed using original machinery from the 1930's with high quality vitreous enamelled finish
- Original Thorlux branding
- Supplied with E27 brass lampholder
- High quality, low power LED lamp designed to resemble original tungsten filament lamps. Warm (2700K) and very warm (2200K) options.
- UV stabilised PVC supply cable with outer fabric sheath
- 2 m galvanised closed link, solid steel suspension chain



IP20

Up to 100.8 LL/CW

Specification

| | | | |
|----------|-----------|-----------|------|
| Mounting | Suspended | IP rating | IP20 |
|----------|-----------|-----------|------|

Lighting

| | | | |
|--------------|-----------------|----------|-------------------|
| Lumen output | 630 lm - 806 lm | Efficacy | Up to 100.8 LL/CW |
|--------------|-----------------|----------|-------------------|

Power

| | | | |
|-----------|-----|---------------|-----|
| LED power | 8 W | Circuit power | 8 W |
|-----------|-----|---------------|-----|


LED characteristics

| | | | |
|--------------------|------|--------------------|------------------|
| CRI | 80+ | Colour temperature | 2200 K 2700 K |
| Rated life (hours) | 15 K | | |

Compliance

| | | | |
|--------------|-----|----|-----|
| UKCA | Yes | CE | Yes |
| C-Tick (Aus) | Yes | | |

Dimensions



View the
range



Information is correct as of 22 Dec 2024, however must not be interpreted as a guarantee of individual product performance and/or characteristics. We reserve the right to alter specifications and designs without prior notice.